

Methodology used for F2F mandates


Christoph Winckler

Chair WGs task force, calves, dairy cows University of Natural Resources and Life Sciences, Vienna, Austria



Addressing the F2F mandates





EFSA Panel on Animal Health and Welfare (AHAW),

F2F Mandates on husbandry of farmed animal species - Terms of Reference



Part I : General Terms of Reference (TORs)

For each category of animals:











- 1. Describe, based on existing literature and reports, the **current husbandry** systems
- 2. Describe the **relevant welfare consequences**. Relevance should not be based on a full risk assessment but on EFSA experts' opinion regarding the severity, duration and occurrence of each welfare consequence



3. Define qualitative or quantitative measures to assess the welfare consequences (animal-based measures)



4. Identify the **hazards** leading to these welfare consequences



5. Provide recommendations to prevent, mitigate or correct the welfare consequences (resource- and management-based measures)



F2F Mandates on husbandry of farmed animal species – **Terms of Reference**



Part II : Specific scenarios

Scenarios, for which the EC has identified practical difficulties or insufficient information in ensuring the welfare of animals.

EFSA requested to propose:

1. Detailed animal-based measures



2. Detailed **preventive and corrective measures** with, where possible, **qualitative** (yes/no question) or **quantitative** (minimum/maximum) **criteria** (i.e. requirements to prevent and/or mitigate the welfare consequences)



Example:

The welfare of **male dairy calves raised for producing "white" veal meat** and the risks associated with



... **feed restriction** (such as deprivation of **fibre**)

F2F Mandates on animal transport – **Terms of Reference**



Part I: General Terms of Reference

For each category of animals:

- 1. Describe the **current transport practices**
- 2. Describe the **relevant welfare consequences**, **animal-based measures**, **hazards**, **preventive**, **mitigative or corrective measures**

Part II : Specific scenarios

- 1. Export by livestock vessels
- 2. Export by road
- 3. Roll-on-roll-off
- 4. End-of-career animals
- 5. Unweaned calves
- 6. Horses
- 7. Special health status animals





Methods - General TORs



Tools

- Literature review: scientific publications, reports, grey literature, etc.
- Expert opinion and group discussion
- Framework of 33 welfare consequences





Methods - 33 welfare consequences



Health- and physical state-related welfare consequences

- e.g. gastro-enteric disorders, heat stress, prolonged hunger

Behaviour-related welfare consequences

- e.g. restriction of movement, inability to perform exploratory and foraging behaviour, group stress

Welfare consequences related to the sensorial state

- e.g. motion stress, sensory under- and/or overstimulation

Connected with experiencing negative affective states such as pain, fear, frustration, discomfort etc.

9 Inability to perform exploratory or foraging behaviour

The animal experiences stress and/or negative affective states such as frustration and/or boredom resulting from the thwarting of the motivation to investigate the environment or to seek for food (i.e., extrinsically and intrinsically motivated exploration).

Methods - General TORs



Tools

- Literature review: scientific publications, reports, grey literature, etc.
- Expert opinion and group discussion
- Framework of 33 welfare consequences
- Approach to identify the highly relevant welfare consequences per animal category/transport practice
- Definition of characteristics of (feasible) animal-based measures
- Approach for estimation of uncertainty







Methods - **Specific TORs**



Tools

- Literature review, expert opinion and group discussion → narrative assessment
- Expert Knowledge Elicitation (EKE) to develop quantitative/qualitative criteria to prevent welfare consequences using an assessment model





Example:

The welfare of male dairy calves raised for producing "white" veal meat and the risks associated with

- ... **feed restriction** (such as deprivation of **fibre**)
- → Which amount of fibre should be provided to veal calves from an animal welfare perspective?




Methods - **EKE model assumptions**



- 1. The **effect on welfare of an exposure variable** can be quantified by comparing the expression of an ABM (e.g. behaviour) observed in the animals under no exposure at all and under high exposure
 - e.g. rumination behaviour when access to fibre is unrestricted (no exposure) compared to very restricted access to fibre (high exposure)
- 2. The closer the demonstration of the behaviour to the one observed under unrestricted conditions, the better the welfare

Methods - Model to assess effects of an exposure variable on animal welfare






Methods – **EKE parameters**



EKE parameters	Definitions and assumptions
Animal category to be considered	Calves reared for white veal meat, aged between 2 weeks and 6 months
The exposure variable of interest for the EKE	kg of NDF provided to the calf per day (on dry matter basis, DM)
Welfare consequence	Inability to chew and ruminate
Animal based measure	Percentage of time a calf aged between 2 weeks and 6 months spends ruminating per day.
Unexposed population	Group of calves in a suckler herd, aged between two weeks and six months, with ad libitum access to pasture and fibre, and continuous access to the dam's milk.

Methods - Sources of evidence considered





Data extracted from experimental studies on the relationship between amount of fibre provided (in kg of NDF) to a calf and percentage of time spent ruminating per day.

Data sources

Exposed population:

Brscic et al., 2014; Mattiello et al., 2002; Webb et al., 2012; 2013; 2014; 2015

Unexposed population:


Swanson and Harris, 1958; Chambers et al., 1959; Hutchinson et al., 1962; Dennis et al., 2018

Methods - Example: EKE outcome



Amount of fibre to be provided to a calf to allow unrestricted rumination times

An ingestion of 1 kg of NDF (DM) per day (90% credibility interval 0.64 kg to 1.36 kg) allows calves to show the same level of rumination shown by the median animal of the unexposed population (30% of time, which is assumed to correspond to full extent of rumination).



Conclusions



Methodological guidance allows working groups appropriate level of flexibility in the assessment

- Literature review & expert opinion
- Comprehensive list of welfare consequences
- Expert Knowledge Elicitation model & narrative assessments
- Uncertainty assessment

Methodological guidance



Published in June 2022

Can be found here:

Methodological guidance for the development of animal welfare mandates in the context of the Farm to Fork Strategy (wiley.com)

SCIENTIFIC OPINION



ADOPTED: 1 June 2022

doi: 10.2903/j.efsa.2022.7403

Methodological guidance for the development of animal welfare mandates in the context of the Farm to Fork Strategy

EFSA Panel on Animal Health and Welfare (AHAW),
Søren Saxmose Nielsen, Julio Alvarez, Dominique Joseph Bicout, Paolo Calistri,
Elisabetta Canali, Julian Ashley Drewe, Bruno Garin-Bastuji, Jose Luis Gonzales Rojas,
Christian Gortázar Schmidt, Mette Herskin, Miguel Ángel Miranda Chueca, Virginie Michel,
Barbara Padalino, Paolo Pasquali, Helen Clare Roberts, Hans Spoolder, Karl Stahl,
Antonio Velarde, Arvo Viltrop, Sandra Edwards, Sean Ashe, Denise Candiani, Chiara Fabris,
Eliana Lima, Olaf Mosbach-Schulz, Cristina Rojo Gimeno, Yves Van der Stede,
Marika Vitali and Christoph Winckler