

Stefano Messori

Science Department World Organisation for Animal Health (OIE)

Climate change and emerging risks for animal health and welfare

CLEFSA Network event 8th October 2020



Summary

- Climate change impact on animal health: OIE activities
- CLEFSA: what have we learned? Gathered information and opportunities
- Priority emerging risks: case studies
- Potential collaborations and synergies



Climate change impact on animal health: OIE activities









1924 > 1945 > 2003

Creation of the Office International des Epizooties (OIE)

Creation of the United Nations

New Name: World Organisation for Animal Health (OIE)






6TH STRATEGIC PLAN 2016-2020

We work to protect the health and welfare of animals globally, leading to economic prosperity as well as social and environmental well-being of populations





Health is complex



Climate change adds complexity..



- Climate sensitive diseases
- Animal welfare

- Strategic planning
- Capacity building

- Auverse events
- Natural Disasters



OIE Work

OIE Technical item 2019

"How External Factors (e.g. climate change, conflicts, socio-economics, trading patterns) will impact Veterinary Services, and the Adaptations required"

GS77^{res}

GS87^{res}

20th

Conference

Americas^{res}

Nov 2007

<u>Apr 2010</u>

Vol 27 no 2,

<u>2008</u>

Vol 35 no2,

<u>2016</u>

Climate

change and


Trade

STDF & WBG

2011



OIE Business model



How should OIE adapt to climate change?

CLEFSA: what have we learned? Gathered information and opportunities





Generic emerging issues related to animal health

- Impacts on livestock production
- (Re)Emergence of viruses and bacteria
- Ocean acidification
- Migrations
- Susceptibility to disease






Identification of main issues for AH

| | Identified issues |
|----|--|
| 1 | Aedes albopictus, Culicoides imicola |
| 2 | Culex pipiens, C. obsoletus |
| 3 | Hyalomma marginatum (vector of Crimean-Congo |
| | hemorrhagic fever-CCHF) |
| 4 | Nipah virus |
| 5 | Influenza A viruses |
| 6 | Rift Valley Fever virus |
| 7 | Bluetonge virus-BTV |
| 8 | Lumpy skin disease virus-LSDV |
| 9 | Peste des Petits Ruminants (PPR) virus |
| 10 | Norovirus |
| 11 | Emergence of piscine reovirus (PRV) in France |
| 12 | Hepatitis E virus |
| 13 | Clostridium botulinum |
| 14 | Ehrlichia chaffeensis, E. ewingii, or E. muris |
| 15 | Salmonella |
| 16 | Yersinia |
| 17 | Brucella |

| | Identified issues |
|----|--|
| 18 | Campylobacter |
| 19 | Bacillus anthracis |
| 20 | Leishmania parasites |
| 21 | Toxoplasma gondii |
| 22 | Trichinella parasites |
| 23 | Echinococcus spp. |
| 24 | Roundworms |
| 25 | Dirofilaria spp. |
| 26 | Heartworms and lungworms |
| 27 | Flukes |
| 28 | Fasciola hepatica |
| 29 | CWD (chronic wasting disease) prion |
| 30 | Vespa velutina |
| 31 | Impact on wildlife distribution |
| 32 | Development of the proliferative kidney disease in Swiss |
| | trout |
| 33 | Heat stress in Swiss dairy cows |
| 34 | Climate change as a possible stressor for bee decline |



Scoresheets: Rift Valley Fever virus



CLEFSA: opportunities

- Driver analysis is a useful tool for supporting preparedness for future challenges.
- Developed methodology and tool would make possible a continuous updates
 of the list of identified issues.
- Citizen engagement: allows integrating citizen science into the formal emerging issues reporting mechanisms.
- The developed model could be scaled to other regions.
- Useful tool to help risk managers taking more informed decisions.



Priority emerging risks: case studies





Vector Borne Diseases

- Increasing importance economically and to human and animal health.
- Global issue: not limited to tropical and subtropical areas only.
- Several factors may affect the distribution and impact of these diseases:
 - Environmental (e.g. climate change);
 - Sociological (e.g. urbanisation, social habits);
 - Economical (e.g. globalisation of trade).
- These factors are driving vector emergence in countries where they were previously absent.

Rev. Sci. Tech. Off. Int. Epiz., 2015, 34 (1), 123-137


Mosquitoes and *Culicoides* biting midges: vector range and the influence of climate change

A.R.W. Elbers (1)*, C.J.M. Koenraadt (2) & R. Meiswinkel (3)




The case of lumpy skin disease

Trend in the average latitude of LSD outbreaks between 2005 and 2016




Significant increase of average latitude (p-value < 0.001; rho=0.8)

Climate change and avian influenza



M. Gilbert (1,2), J. Slingenbergh (3) & X. Xiao (4)

- Biological Control and Spatial Ecology, Universit\(\tilde{e}\) Libre de Bruxelles CP160/12, avenue Franklin D. Roosevelt 50, B1050, Brussels, Belgium. E-mail: mgilbert@ulb.ac.be (corresponding author) (2) Fonds National de la Recherche Scientifique, rue d'Egmont 5, B1000, Brussels, Belgium
- (3) Food and Agriculture Organization of the United Nations, Viale delle Terme di Caracalla 00100, Rome,
- (4) Institute for the Study of Earth, Oceans and Space, University of New Hampshire, 39 College Road, Durham, NH 03824, USA



Summary


This paper discusses impacts of climate change on the ecology of avian influenza viruses (Al viruses), which presumably co-evolved with migratory water birds, with virus also persisting outside the host in subarctic water bodies. Climate change would almost certainly alter bird migration, influence the Al virus transmission cycle and directly affect virus survival outside the host. The joint, net effects of these changes are rather unpredictable, but it is likely that Al virus circulation in water bird populations will continue with endless adaptation and evolution. In domestic poultry, too little is known about the direct effect of environmental factors on highly pathogenic avian influenza transmission and persistence to allow inference about the possible effect of climate change. However, possible indirect links through changes in the distribution of duck-crop farming are discussed.

Climate change impacts avian migration patterns, overlap of species, and Alv shedding and reassortment

HPAI outbreaks 2016/2017









Potential collaborations and synergies





A busy arena





CLEFSA: challenges

- Considering the issues with a One Health approach (consider interconnections among issues, and common scoring)
- Ensuring robustness of collected data (systematic literature review?)
- Enlarging the expert base (establish new partnerships?)
- Refining the methodology (improve clarity and explore different analysis?)
- Continuing to keep updated the list of identified issues (IT solutions?)







WORLD ORGANISATION FOR ANIMAL HEALTH

Protecting animals, preserving our future





























s.messori@oie.int

12, rue de Prony, 75017 Paris, France www.oie.int media@oie.int - oie@oie.int









